

# ergo-Logistcis

[ergo-Logistcis.com](http://ergo-Logistcis.com)

Customer Service:

Joan Hinchman

1-800-341-7048

Fax: 1-800-704-2815

[CustomerService@ergo-Logistics.com](mailto:CustomerService@ergo-Logistics.com)



Technical Support: 509-747-5027

email: [Support@ergo-Logistcis.com](mailto:Support@ergo-Logistcis.com)

Website:

<http://www.ergo-logistics.com/>

Countertop Washer Decontam **PASS-THRU** or Single Door

**STEELCO Washers DS-50, DS-50-DRS, and DS-50-DRS-2**

STEELCO Washers DS-50, DS-50-DRS, and DS-50-DRS-2

External dimensions 632x562x535mm [24.9"x22.12"x21.06"] (with door closed)

External dimensions 632x852x535mm [24.9"x33.54"x21.06"] (with open door)

**Chamber usable Size Wide 19.69" x 15.75" x Deep 9.65 High**

---

STEELCO WASHER DS-50

Countertop Tabletop Washer

---

STEELCO WASHER DS-50-DRS

Countertop Tabletop Washer with **DRYER**

---

STEELCO WASHER DS-50-2 DRS **2 door Pass Through**

the **only** Countertop Tabletop Pass Through Washer with **DRYER**

---

---

208 volt or 220 volt, 60Hz, UL Listed

---

**STEELCO DS50, DS50DRS, and DS50DRS-2 RACKS**

---

**Measurements - W x D x H**

---

Incert holds 35 Instruments vertically 395 x 125 x 120mm [15.55"x4.92"x4.72"] **C03**

---

Incert holds 8 Cassettes 36mm [1.4"] 390 x 180 x 110mm [15.35"x7.08"x4.33"] **C04**

---

**Primary Rack 1 Level with Sides - 470 x 390 x 85mm [18.5"x15.35"x3.34"] **C06****

---

Cleaning Basket w Lid S/S perforated 100 x 100 x 40mm [3.93x3.93"x1.57"] **C28**

---

Insert for Instrument Containers - for holding 3 Cassettes 11 x 8 x 1.5 vertically **C90**


---

Insert for Instrument Containers - for holding 4 Cassettes 11 x 8 x 1.5 vertically **C91**

---

Tray for instruments **C92**

---



C03



C04



C06



Glass rack 18 position	<b>C83</b>
Rack with 4 pipes & hand piece connections	<b>C84</b>
Rack for dental instruments with 8 places	<b>C85</b>
Insert for instrument containers with 3 positions, Cassettes 280x200x40h mm	<b>C90</b>
Insert for instrument containers with 4 positions, Cassettes 205x120x40h mm	<b>C91</b>
Big tray for instruments, Delivery cassettes, 280x200x40h mm	<b>C92</b>
Rack for hand pieces with 8 places DENTAL	<b>C640</b>
Dental Handpiece support - lower part - brochure page 15	<b>C080009</b>
Dental Handpiece support - upper part - brochure page 15	<b>C080010</b>
Dental Handpiece support - stainless steel filter - brochure page 15	<b>C080006</b>
Dental Handpiece support - adapter Ø 20mm - brochure page 15	<b>C080005</b>
Dental Handpiece support - adapter Ø 15mm - brochure page 15	<b>C080001</b>

C28

### **STEELCO DS50, DS50DRS, and DS50DRS-2**

**Pump to Drain. Does not require a dedicated floor drain. Can pump into Sink Drain Plumbing or Wall Drain.**

#### **STEELCO DS50, DS50DRS, and DS50DRS-2 Dimensions: (W x D x H)**

External dimensions 632x562x535mm

**[24.9"x22.12"x21.06"]** (with door closed)

External dimensions 632x852x535mm

**[24.9"x33.54"x21.06"]** (with open door)

Max rack dimensions 400x500x245mm

**[15.75"x19.69"x9.65"]**

Max. basket capacity 49 lt. [13gal.]

#### **Electrical connection 1x208V/60Hz**

Electrical tank heating 3 kW

Washing circuit with one pump for a total of 110W

#### **Total power 3.5 kW**

#### **Water connections: one**

#### **STEELCO DS50, DS50DRS, and DS50DRS-2 Description:**

washing chamber entirely made of stainless steel AISI 316L

smooth chamber design to eliminate dead legs for potential bacteria grow

#### **self cleaning chamber with rounded corners**

water filtering system for excellent washing results

#### **OPTIONAL Pass through version with two manual bottom hinged doors**

Frontal basket loading

Automatic Rack coupling system for injector cleaning and drying to guarantee highest quality

cleaning and efficient drying

cleaning and drying results

- Full drainage of re-circulating pump
- Thermal decontamination possibilities up to 93°C [200°F]
- PT1000 temperature probe
- Equipped with 2 dosing pumps for chemicals, microprocessor controlled.
- Level control for chemical jugs with minimum level alarm
- LED display as user interface
- 20 Pre-set programs

Total control of cycle parameters:

time, temperature, chemical dosing, water quantity,

**drying**

- Exhaust air condenser
- Equipped with hot air dryer

not included in price:

- > start-up and training
- > installation
- > transport & insurance

**STEELCO DS 500 DRS Warranty: 1 year parts**

**not included in price:**

- > start-up and training
- > installation
- > transport & insurance